Continuous Flow Counter-Top Frozen Custard Machine

CF101






- Quick-Freeze Technology™ minimizes size of ice crystals to ensure smoother, creamier product.
- Hold cycle keeps barrels at a safe temperature during off-cycle.
- Compact, counter-top model saves space.
- Easy to clean design ensures sanitary operation and ensures product is always fresh.
- Refrigerated hopper with independent temperature control maintains safe storage temperatures in any environment.
- Dual temperature control dispenses varied product types, such as Italian ice, sorbet, and frozen custard.
- IntelliTec[™] control with lighted display provides simple two button operation.
- Super-sized condensing system provides high output even in high temperature conditions.
- Optional floor stand to create a "floor model" package, freeing up counter space and providing additional storage.
- Delrin, food grade plastic blades provide quiet operation and superior durability.







	CF101	
Dimensions	Machine	with crate
width	19-1/2" (49,5 cm)	38-3/4" (98,4 cm)
height	37-3/4" (95,9 cm)	28-3/4" (73,0 cm)
depth	28" (71,1 cm)	43" (109,2 cm)
Weight	310 lbs (140,6 kg)	380 lbs (172,3 kg)
*Electrical	1 Phase, 208-240 VAC, 60Hz	
running amps	15A	
connection type	NEMA6-20P power cord provided	
Compressor	14,000 Btu/hr	
Drive Motor	1-1/2 hp	
Air Flow	Air cooled units require 6" (15,2 cm) air space at left and right sides and 10"	
	(25,4) air space above the machine.	
Hopper Volume	5.4 gallon (30,28 liters)	
Freezing Cylinder	0.8 gallon (3,03 liters)	
Volume		

Continuous research leads to ongoing product improvements; therefore, these specifications are subject to change without notice and should not be used as installation specifications.

* Machine requires a dedicated electrical circuit.

Distributed by:



FOODSERVICE EQUIPMENT

502 Highway 67 • Kiel, WI 53042-1600 920-894-2293 • 800-558-5807 Fax: 920-894-7029 E-mail: foodservice@stoelting.com www.stoeltingfoodservice.com ISO 9001:2008 Registered

Certified, Listed and/or Recognized by:



STMF-204 02/12